

## MASTER SURFACE TECHNOLOGY SRL

Sede legale: Piazza Umberto I, 15 – 37057 San Giovanni Lupatoto (VR) - Sede operativa: Via Barsanti 7 - 37139 (VR)  
 www.mastersurface.com - info@mastersurface.com - Tel. +39 (0)45 8511408 - Fax. +39 (0)45 8511438  
 P.IVA IT 04252120235 – R.E.A. VR405173 - C.F e n. Iscriz. Reg. Imprese di VR 04252120235 - Capitale Sociale € 10.000

## SATIN GRANITE BLACK GRANITE



### SERIE USED:

#### FICKERT FIDIFLEX

GR.60

GR.120

#### FICKERT DUO

GR.80

GR.120

#### FICKERT TAPFLEX MAGNUM

GR.220

GR.320

GR.400

#### FICKERT FIDIFLEX



Fickert brush with filaments of nylon loaded with diamond powder.

The tool has removable lateral wings where the left one distinguishes the grits with different colors.

#### FICKERT DUO



Fickert brush born from the combination between TYFLEX and TAPFLEX®. The new tool uses the synergy of TYFLEX wire outside and the TAPFLEX® blades inside. The two parts per form a double work where the wire and the elastic part support the wear of a part and another reciprocally. The elastic part of the Tapflex is protected inside the tool from

the wire which allows the tool to overhang without breaking. The tool has removable lateral wings where the left one distinguishes the grits with different colors.

#### ADVANTAGES:

- Reduction of the number of heads and work of two products in one.
- Color enhancement and uniformity of the surface.

#### FICKERT TAPFLEX MAGNUM



Elastic and flexible tool in the Fickert format. This design is very durable and is used on large slabs and on hard materials. It is used when is required an increase of mechanical strenght and it enhance the color of the material.

### SUGGESTIONS:

**PRESSURE:** 0,5 - 1 bar

**WATER:** we recommend to use a lot of water

**SPEED:** 50-70 cm/min

You may increase the speed if you increase the number of the heads.

## MASTER SURFACE TECHNOLOGY SRL

Sede legale: Piazza Umberto I, 15 – 37057 San Giovanni Lupatoto (VR) - Sede operativa: Via Barsanti 7 - 37139 (VR)  
 www.mastersurface.com - info@mastersurface.com - Tel. +39 (0)45 8511408 - Fax. +39 (0)45 8511438  
 P.IVA IT 04252120235 – R.E.A. VR405173 - C.F e n. Iscriz. Reg. Imprese di VR 04252120235 - Capitale Sociale € 10.000

## SATIN GRANITE WHITE GRANITE (BIANCO SARDO)



### SERIE USED:

<b>FICKERT FIDIFLEX</b>	
<b>GR.60</b>	
<b>GR.120</b>	
<b>FICKERT DUO</b>	
<b>GR.80</b>	
<b>GR.120</b>	
<b>FICKERT TAPFLEX MAGNUM</b>	
<b>GR.220</b>	
<b>GR.320</b>	
<b>GR.400</b>	

### FICKERT FIDIFLEX



Fickert brush with filaments of nylon loaded with diamond powder. The tool has removable lateral wings where the left one distinguishes the grits with different colors.

### FICKERT DUO



Fickert brush born from the combination between TYFLEX and TAPFLEX®. The new tool uses the synergy of TYFLEX wire outside and the TAPFLEX® blades inside. The two parts per form a double work where the wire and the elastic part support the wear of a part and another reciprocally. The elastic part of the Tapflex is protected inside the tool from

the wire which allows the tool to overhang without breaking. The tool has removable lateral wings where the left one distinguishes the grits with different colors.

### ADVANTAGES:

- Reduction of the number of heads and work of two products in one.
- Color enhancement and uniformity of the surface.

### FICKERT TAPFLEX MAGNUM



Elastic and flexible tool in the Fickert format. This design is very durable and is used on large slabs and on hard materials. It is used when is required an increase of mechanical strenght and it enhance the color of the material.

### SUGGESTIONS:

**PRESSURE:** 0,5 - 1 bar

**WATER:** we recommend to use a lot of water

**SPEED:** 50-70 cm/min

You may increase the speed if you increase the number of the heads.



## MASTER SURFACE TECHNOLOGY SRL

Sede legale: Piazza Umberto I, 15 – 37057 San Giovanni Lupatoto (VR) - Sede operativa: Via Barsanti 7 - 37139 (VR)  
 www.mastersurface.com - info@mastersurface.com - Tel.+39 (0)45 8511408 - Fax. +39 (0)45 8511438  
 P.IVA IT 04252120235 – R.E.A. VR405173 - C.F e n. Iscriz. Reg.Imprese di VR 04252120235 - Capitale Sociale € 10.000

# SATIN GRANITE

## WHITE GRANITE (ROSA SARDO)



### SERIE USED:

<b>FICKERT FIDIFLEX</b>	
<b>GR.60</b>	
<b>GR.120</b>	
<b>FICKERT DUO</b>	
<b>GR.80</b>	
<b>GR.120</b>	
<b>FICKERT TAPFLEX MAGNUM</b>	
<b>GR.220</b>	
<b>GR.320</b>	
<b>GR.400</b>	

### FICKERT FIDIFLEX



Fickert brush with filaments of nylon loaded with diamond powder.  
 The tool has removable lateral wings where the left one distinguishes the grits with different colors.

### FICKERT DUO



Fickert brush born from the combination between TYFLEX and TAPFLEX®. The new tool uses the synergy of TYFLEX wire outside and the TAPFLEX® blades inside. The two parts per form a double work where the wire and the elastic part support the wear of a part and another reciprocally. The elastic part of the Tapflex is protected inside the tool from

the wire which allows the tool to overhang without breaking. The tool has removable lateral wings where the left one distinguishes the grits with different colors.

### ADVANTAGES:

- Reduction of the number of heads and work of two products in one.
- Color enhancement and uniformity of the surface.

### FICKERT TAPFLEX MAGNUM



Elastic and flexible tool in the Fickert format. This design is very durable and is used on large slabs and on hard materials. It is used when is required an increase of mechanical strenght and it enhance the color of the material.

### SUGGESTIONS:

**PRESSURE:** 0,5 - 1 bar

**WATER:** we recommend to use a lot of water

**SPEED:** 50-70 cm/min

You may increase the speed if you increase the number of the heads.