

# **STONE SAWS**

# Multipurpose machine MAS

# Cutting, edge profiling, polishing and chamfering machine

MAS is a fully equipped **multipurpose machine** which can be used for **cutting, edge profiling, polishing** and **chamfering** straight edges by simply changing the head tool.





## Features









#### CUTTING DEPTH ADJUSTMENT

Motorized working depth adjustment along Z axis by geared motor.

#### STRUCTURE

Steel frame, sandblasted and ceramic coated (hot-dip galvanized upon request).

#### CONTROL PANEL

Mobile control panel: includes the following controls:

- Main motor start/stop button
- Head forward, stop and reverse button
- Head forward and reverse variable speed controls
- Main motor raise and lower button
- Emergency stop push button

#### HEAD MOTION

Motorized head travel with variable speed on x and z axis in both directions. Three different head feed modes: forward only, forward and reverse (single cycle), forward and reverse continuously.


2-speed main motor for marble and granite.





#### HEAD TILT

Manual head tilt from 90 to 45 degrees for cutting or chamfering and to 0 degree for edge profiling and polishing.



#### WORKTABLE

Worktable made of galvanized steel rails.



# EXTENSIONS AND SIDE STOP INCLUDED

The worktable is equipped with no. 6 worktable extensions and side stop for easily move also big slabs.

# **Advantages**

MAS is a multipurpose saw for cutting stone slabs as well as profiling, polishing and chamfering straight edges:


- Multipurpose machine fully customizable according to customer requirements;
- The atmost precision is guaranteed by a compressed, rectified and chromed "active beam";
- Motorized head travel with variable speed on X and Z-axis in both forward and backward directions;
- **2-speed main motor** to optimize machining of all types of stone: for marble (7.5kW=10HP) and for granite (5.5kW=7.5HP).



# **Technical details**

X axis travel	3100 mm
Z axis travel	240 mm
Diamond blade diameter	400 mm
Blade bore size	50 mm
Profiling wheels	Bore size 35mm – lower diameter 60mm
Main motor power	5.5/7.5kW - 7.5/10HP (3ph.)
Main motor rotation speed	1400 rpm 50Hz – 1700 rpm 60Hz
Standard voltage-frequency	400V-50/60Hz / 230V-60Hz 3ph.

# Accessories



#### WATER TANK

Water tank with built in recycling pump for disc cooling during processing.









#### FLAT EDGE POLISHING KIT

Head tilt from 90° to 0° for working the edge of slabs up to 60 mm in thickness. Main motor slide for working of slab edge. Tools technical features: Wheels 130mm diameter with left handed snail lock.

#### CHAMFERING KIT

Head tilt from 90° to 0° for working the edge of slabs up to 60 mm in thickness. Main motor slide for working of slab edge. Tools technical features: Wheels 130mm diameter with left handed snail lock.

#### **PROFILING KIT**

Head tilt from 90° to 0° for working the edge of slabs up to 60 mm in thickness. Main motor slide for working of slab edge. Tools technical features: Diamond profiling and edge polishing wheels with 60mm lower diameter (bore 7/8') or 150mm (bore 35-3--22,2mm) for marble and granite slabs up to 60 mm in thickness.





#### WORKTABLE WITH POP-UP ROLLERS

Pop-up rollers manual or motorized to facilitate slab loading and positioning: roller table with omni-directional rollers.

#### DEVICE FOR PARALLEL CUTS

Machine can be equipped with a special device that, controlling the movement of the side stop, facilitates the execution of parallel cuts. The side stop runs parallel to the cutting line by means of a special hand wheel.

T +39 0541 387066 F +39 0541 389058 M info@achilli.com





LASER

Laser alignment device mounted on the head shows the blade's cutting line.



# SIDE EXTENSION TABLES WITH ROLLERS

Side extension tables equipped with rollers to facilitate slab movement. Dimensions: 1510x865 mm

# **Related products**



Motorized bench saw AFR-A



Mini bridge saw TFM

T +39 0541 387066 F +39 0541 389058 M info@achilli.com





SMART multipurpose machine



Automatic bench saw TFR A



Monoblock bridge saw MBS TS



Monoblock bridge GLD TSB



# Achilli tailor made

Elit ea duis sunt do esse cillum dolore ipsum ut est eu quis ipsum. Consectetur enim deserunt elit in exercitation ipsum sunt veniam eu commodo cupidatat. Id nostrud esse eu eiusmod sunt ipsum ipsum in adipisicing adipisicing deserunt.

# TAILORED ACHILLI MACHINES CONTACT US FOR DETAILS

**REQUEST CUSTOMIZATION** 

### Always at your disposal. Contact us.

Do you need information about Achilli products? Contact us for technical or commercial information on floor grinders, bench saws and bridge saws.



## I nostri canali social

Elit ea duis sunt do esse cillum dolore ipsum ut est eu quis ipsum. Consectetur enim deserunt elit in exercitation ipsum sunt veniam eu commodo cupidatat. Id nostrud esse eu eiusmod sunt ipsum ipsum in adipisicing adipisicing deserunt



T +39 0541 387066 F +39 0541 389058 M info@achilli.com

Via Montescudo, 148 47924 Rimini Italy www.achilli.com